

Item Number	Item Title	Item Description	Item Quantity	Unit of Measure	Consignee ID	Delivery Period (In number of days)
1	Weld Mesh Panels should produced by electrical resistance welded galvanized wires and subsequently powder coated as per specification.	Weld Mesh Panels should produced by electrical resistance welded galvanized wires and subsequently powder coated as per specification. attached in PDF file.	600	Nos	flowersadjt	60
2	Omega clamps with profile cover plate to tighten the mesh panel along the post with 76mm dia 35mm width and 3 mm thickness as per specification.	Omega clamps with profile cover plate to tighten the mesh panel along the post with 76mm dia 35mm width and 3 mm thickness as per specification. attached in PDF file.	1400	Nos	flowersadjt	60
3	Mushroom Head Bolt Nut with Washer Each clamps will be supplied with a pair of SS 304 mushroom headed square necked bolts and security nuts M8 X 50 as per specification.	Mushroom Head Bolt Nut with Washer Each clamps will be supplied with a pair of SS 304 mushroom headed square necked bolts and security nuts M8 X 50 as per specification. attached in PDF file.	2800	Nos	flowersadjt	60
4	Fence Post. Type Circular Hollow Material MS Steel Tube IS 1161. Dimentions 76 mm Dia and 3.2 mm plus or minus 10 percentage Thickness as per specification.	Fence Post. Type Circular Hollow Material MS Steel Tube IS 1161. Dimentions 76 mm Dia and 3.2 mm plus or minus 10 percentage Thickness as per specification. attached in PDF file.	200	Nos	flowersadjt	60
5	Straining Y Arm for supporting top PTCC Material. MS Angle Size 50x50x5mm as per IS 1852 as per specification.	Straining Y Arm for supporting top PTCC Material. MS Angle Size 50x50x5mm as per IS 1852 as per specification. attached in PDF file.	18	Nos	flowersadjt	60

Accessories for fitting Y Arm. Mushroom Head Bolt with breakable head safety nuts. Each Y Arm shall be supplied with two sets mushroom headed bolts with security nuts and washers as per specification	Accessories for fitting Y Arm. Mushroom Head Bolt with breakable head safety nuts. Each Y Arm shall be supplied with two sets mushroom headed bolts with security nuts and washers as per specification	35Nos	flowersadjt	60
Intermediate Y Arm for supporting top PTCC Material MS Angle Size 50x50x3mm as per IS 1852 Coating as per specification..	Intermediate Y Arm for supporting top PTCC Material MS Angle Size 50x50x3mm as per IS 1852 Coating as per specification..	184Nos	flowersadjt	60
Accessories for fitting Y Arm. Mushroom Head Bolt with breakable head safety nuts. Each Y Arm shall be supplied with two sets mushroom headed bolts with security nuts and washers as per specification attached in PDF file.	Accessories for fitting Y Arm. Mushroom Head Bolt with breakable head safety nuts. Each Y Arm shall be supplied with two sets mushroom headed bolts with security nuts and washers as per specification attached in PDF file.	367Nos	flowersadjt	60
Anchor Rod. 10 mm dia 300mm long GI Rod tie with fence post at bottom using tie wire. 02 Nos for each post	Anchor Rod. 10 mm dia 300mm long GI Rod tie with fence post at bottom using tie wire. 02 Nos for each post	400Nos	flowersadjt	60
Punched Tape Concertina Coil including spike and handle with 56 turns and dia 610 mm having a core wire of high carbon spring steel of high tensile strength as per specification.	Punched Tape Concertina Coil including spike and handle with 56 turns and dia 610 mm having a core wire of high carbon spring steel of high tensile strength as per specification attached in PDF file.	72Nos	flowersadjt	60

Galvanised Steel Barbed Wire ISI marked A5 designation for Galvanised steel barbed wire for fencing shall conform to IS 278 1978 as per specification.	Galvanised Steel Barbed Wire ISI marked A5 designation for Galvanised steel barbed wire for fencing shall conform to IS 278 1978 as per specification attached in PDF file.	3170Kgs	flowersadjt	60
Quick setting compound	Quick setting compound as per specification attached in PDF file.	282Ltrs	flowersepo	60
Aggregate 20mm Stone	Aggregate 20mm Stone Aggregate to be crushed rock or gravel 20mm graded conforming to IS 383 of 1970 as per specification attached in PDF file.	36Cum	flowersepo	60
Aggregate 40mm Stone	Aggregate 40mm Stone Aggregate to be crushed rock or gravel 40mm graded conforming to IS 383 of 1970 as per specification attached in PDF file.	24Cum	flowersepo	60
Ms Binding wire not less than 0.9mm dia	Ms Binding wire not less than 0.9mm dia confirming to relevant IS as per specification attached in PDF file.	4Kgs	flowersepo	60
Natural sand	Natural sand confirming to IS 383 of 1970 as per specification attached in PDF file.	30Cum	flowersepo	60
Portable Inverter Auto ARC Compact welding machine	Portable Inverter Auto ARC Compact welding machine 220V to 380V as per specification attached in PDF file.	1Set	flowers39fdpk	60
Wire Cutter 18 inch	Wire Cutter 18 inch as per specification attached in PDF file.	2Nos	flowers39fdpk	60
Aluminium Ladder 12 Feet length	Aluminium Ladder 12 Feet length 12 to 13 inch width and 9 steps load capacity 150 Kgs and weight of ladder 12 Kgs as per specification attached in PDF file.	1Nos	flowers39fdpk	60
Bold Cutter 12 inch	Bold Cutter 12 inch as per specification attached in PDF file.	2Nos	flowers39fdpk	60
Y Joint 10 Feet long	Y Joint 10 Feet long as per specification attached in PDF file.	1Nos	flowers39fdpk	60

Y Joint 12 Feet long	as per specification attached in PDF file.	1Nos	flowers39fdpk	60
Hammer with handle weight 5 Kg.	as per specification attached in PDF file.	5Nos	flowers39fdpk	60
23Steel Gurmala	Steel Gurmala	10Nos	flowers39fdpk	60
24Plumbob and Mason Thread	Plumbob and Mason Thread	10Nos	flowers39fdpk	60
25Cutting pliers size 8 inch	Cutting pliers size 8 inch for steel	5Nos	flowers39fdpk	60
26for steel Showel Square Nose 14 Gauge TATA High Carbon Steel	Showel Square Nose 14 Gauge TATA High Carbon Steel	10Nos	flowers39fdpk	60
27Hacksaw frame	Hacksaw frame	10Nos	flowers39fdpk	60
28Wooden Gurmala	Wooden Gurmala	10Nos	flowers39fdpk	60
29Ratchet Spanner Single Socket 14 sproket	Ratchet Spanner Single Socket 14 sproket	5Nos	flowers39fdpk	60
30Trowel	Trowel Masson Brick as per specification attached in PDF file.	10Nos	flowers39fdpk	60
31Water Level Pipe 25 mtr	Water Level Pipe 25 mtr	10Nos	flowers39fdpk	60
32Hack Saw Blade Double Ended	Hack Saw Blade Double Ended	50Nos	flowers39fdpk	60
33Measuring Tape 5 mtr	Measuring Tape 5 mtr	3Nos	flowers39fdpk	60
34Measuring Tape 30 mtr	Measuring Tape 30 mtr	2Nos	flowers39fdpk	60
35Picks Axes with Chiesel and Point ends. Nominal weight 3.0 Kg overall length 595 mm with hard wooden handle.	Picks Axes with Chiesel and Point ends. Nominal weight 3.0 Kg overall length 595 mm with hard wooden handle.	10Nos	flowers39fdpk	60
36Multi functional 850W 4 inch 100 mm dia mini electric angle grinder machinee with 6 pieces wheels. Discs for cutting wood and Metal and Brick and Marble	Multi functional 850W 4 inch 100 mm dia mini electric angle grinder machinee with 6 pieces wheels. Discs for cutting wood and Metal and Brick and Marble	1Nos	flowers39fdpk	60
37Professional Impact Drill Machine 13 mm 600W	Professional Impact Drill Machine 13 mm 600W	1Nos	flowers39fdpk	60
38GSB 13 RE All type of Drill Bits for Drill Machine 13 mm 600W	GSB 13 RE All type of Drill Bits for Drill Machine 13 mm 600W	15Set	flowers39fdpk	60
39GSB 13 RE	GSB 13 RE	15Set	flowers39fdpk	60

	Ratchet Spanner with deep Socket 12 to 13 mm	Ratchet Spanner with deep Socket 12 to 13 mm	2Nos	flowers39fdpk	60
41	Rods Welding Hog ring curd less rebar tying Gun Machine battery operated tying wire dia meter 0.8 to 1 mm battery capacity 4400 Mah Rivet Gun Machine alongwith 100 Nos of Rivet bit	Welding Rods Hog ring curd less rebar tying Gun Machine battery operated tying wire dia meter 0.8 to 1 mm battery capacity 4400 Mah alongwith 1 mm battery tying wire suitable for machine with length of 500 Mtrs Rivet Gun Machine alongwith 100 Nos of Rivet bit as per specification attached in PDF file.	20Pkts	flowers39fdpk	60
42	4400 Mah Rivet Gun Machine alongwith 100 Nos of Rivet bit	length of 500 Mtrs Rivet Gun Machine alongwith 100 Nos of Rivet bit as per specification attached in PDF file.	1Nos	flowers39fdpk	60
43	Binding stick Tasla Iron 18 inch	Binding stick Tasla Iron 18 inch	3Nos	flowers39fdpk	60
44	Binding stick Tasla Iron 18 inch	Binding stick Tasla Iron 18 inch	10Nos	flowers39fdpk	60
45	Rotational moulded polyethylene water storage tank double layer type 500 ltrs capacity Fawada with wooden handle weight 2 Kg	Rotational moulded polyethylene water storage tank double layer type 500 ltrs capacity Fawada with wooden handle weight 2 Kg	10Nos	flowers39fdpk	60
46	Rotational moulded polyethylene water storage tank double layer type 500 ltrs capacity	Rotational moulded polyethylene water storage tank double layer type 500 ltrs capacity	2Nos	flowers39fdpk	60
47	Fawada with wooden handle weight 2 Kg	Fawada with wooden handle weight 2 Kg	10Nos	flowers39fdpk	60
48	Crow bar 5 feet long and 30mm thickness	Crow bar 5 feet long and 30mm thickness	5Nos	flowers39fdpk	60
49	Bolt cutter 32 inch Wire cutter 150 mm	Bolt cutter 32 inch Wire cutter 150 mm	2Nos	flowers39fdpk	60
50	Wire cutter 150 mm Suction cum delivery pipe plastic 1 inch dia 200m long	Wire cutter 150 mm Suction cum delivery pipe plastic 1 inch dia 200m long	10Nos	flowers39fdpk	60
51	long Iron cutting machine blade 14 inch	Iron cutting machine blade 14 inch	1Roll	flowers39fdpk	60
52	blade 14 inch Alluminium straight edge 50mm sq 2 mm thick	Iron cutting machine blade 14 inch Alluminium straight edge 50mm sq 2 mm thick	10Nos	flowers39fdpk	60
53	1800mm long thick 1800mm long	thick 1800mm long	3Nos	flowers39fdpk	60

